# Development

Volume 113 1991

**Editor** in Chief

Chris Wylie (Cambridge)

**European Editors** 

Richard Gardner (Oxford)
Walter Gehring (Basel)

Peter Lawrence (Cambridge) Keith Roberts (Norwich)

**USA Editors** 

Doug Melton (Harvard) Tom Jessell (Columbia)

Eileen Adamson (La Jolla)

Gerry Rubin (Berkeley)

Editorial Advisory Board

Michael Akam (Cambridge) Michael Bate (Cambridge) Rosa Beddington (Edinburgh) Marianne Bronner-Fraser (Irvine) Clayton Buck (Wistar Institute) Alan Colman (Birmingham) Eric Davidson (Pasadena) Alun Davies (London) Françoise Dieterlen (Nogent-sur-Marne) John Ellis (Warwick) Gary Felsenfeld (Bethesda) Richard Firtel (San Diego) Joseph Frankel (Iowa) Michael Freeling (Berkeley) John Gerhart (Berkeley) Peter Goodfellow (London) Peter Gruss (Göttingen) John Gurdon (Cambridge) John Heath (Oxford) Brigid Hogan (Vanderbilt) Nigel Holder (London) Robert Horvitz (MIT)

Phil Ingham (Oxford)

Herbert Jäckle (Munich)

William Jeffery (Austin)

Klaus Kalthoff (Austin)

Martin Johnson (Cambridge)

Rudolph Jaenisch (Whitehead, MIT)

Robert Kay (Cambridge) Judith Kimble (Madison) Charles Kimmel (Eugene) Klaus Kratochwil (Salzburg) Ruth Lehmann (Whitehead, MIT) Julian Lewis (Oxford) Andrew Lumsden (London) Mary Lyon (Didcot) Terry Magnuson (Case Western) Gail Martin (San Francisco) Bjorn Olsen (Harvard) Scott Poethig (Pennsylvania) Martin Raff (London) Elizabeth Robertson (Columbia) Janet Rossant (Toronto) Joan Ruderman (Harvard) Matthew Scott (Stanford) Jonathan Slack (Oxford) Jim Smith (London) Michael Sporn (Bethesda) Claudio Stern (Oxford) Gary Struhl (Columbia) Chris Summerville (Michigan) Azim Surani (Cambridge) Masatoshi Takeichi (Kyoto) Peter Thorogood (London) David Weisblat (Berkeley) Richard Whittaker (Woods Hole) Jeff Williams (ICRF, Clare Hall)

Published by The Company of Biologists Limited, Cambridge

The Company of Biologists Limited, founded in 1925, is a 'Company Limited by Guarantee' having tax-exempt charitable status. There is a Board of Directors consisting of about 20 professional biologists, two of them appointed annually by the Society for Experimental Biology, who receive no salary or fees for their services. The Company's main function is to own and produce The Journal of Experimental Biology, the Journal of Cell Science and Development, and to appoint the Editors of these journals. These are part-time appointments held by established professional biologists of some eminence, and once they have been appointed the Company exercises no control over editorial policy.

The Company is precluded by its charitable status from making a commercial profit on its operations, and its aim is to produce high-quality journals at the lowest possible price. Any surplus on publishing not required for the journals' reserves is transferred to an Educational Trust Fund, which makes substantial grants in aid of societies concerned with the fields of interest covered by the Company's journals. Grants are also made to conferences and summer schools in the fields of its journals.

#### Erratum

We apologize for the incorrect labelling of Fig. 5 in the article by R. E. Boswell, M. E. Prout and J. C. Steichen entitled 'Mutations in a newly identified *Drosophila melanogaster* gene, mago nashi, disrupt germ cell formation and

result in the formation of mirror-image symmetrical double abdomen embryos' *Development* 113, 373–384 (1991). A correct version of the figure is printed below with its legend.




Fig. 5. The temperature-sensitive period for embryonic lethality of mago<sup>2</sup>. Each measurement represents the inviability of embryos collected from hemizygous mago<sup>2</sup> mothers, during an 8h interval (see Experimental Procedures for details). Each time point represents the analysis of the viability of 200 to 1000 embryos. The top abscissa represents the oogenetic stages, as defined by King (King, 1970). The bottom abscissa depicts the developmental times, at 17°C (top) and 25°C (bottom), and the arrow indicates egg deposition. Thus, the negative times represent time during oogenesis prior to oviposition. The 17° and 25°C time scales have been normalized according to Suzuki (1970) and the oogenetic stages were determined as described by David and Merle (1968).

Typeset, Printed and Published by
The Company of Biologists Limited
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ

## Contents

Volume 113 1991

ESSAY IN DEVELOPMENT		Risek, B. and Gilula, N. B.	
Davidson, E. H.		Spatiotemporal expression of three gap junction	
Spatial mechanisms of gene regulation in		gene products involved in fetomaternal	
metazoan embryos	1	communication during rat pregnancy	165
CONTRIBUTED PAPERS Raftery, L. A., Sanicola, M., Blackman, R. K. and Gelbart, W. M. The relationship of decapentaplegic and engrailed expression in Drosophila imaginal disks: do these genes mark the anterior-posterior compartment boundary?	27	Flanders, K. C., Lüdecke, G., Engels, S., Cissel, D. S., Roberts, A. B., Kondaiah, P., Lafyatis, R., Sporn, M. B. and Unsicker, K. Localization and actions of transforming growth factor- $\beta$ s in the embryonic nervous system  Bard, J. B. L. and Ross, A. S. A.	183
Ray, R. P., Arora, K., Nüsslein-Volhard, C. and Gelbart, W. M.  The control of cell fate along the dorsal-ventral axis of the <i>Drosophila</i> embryo	35	LIF, the ES-cell inhibition factor, reversibly blocks nephrogenesis in cultured mouse kidney rudiments  Weinmaster, G., Roberts, V. J. and Lemke, G.	193
Pokrywka, N. J. and Stephenson, E. C. Microtubules mediate the localization of bicoid		A homolog of <i>Drosophila Notch</i> expressed during mammalian development	199
RNA during <i>Drosophila</i> oogenesis	55	Stern, C. D., Artinger, K. B. and Bronner-Fraser, M.	
Fernandes, J., Bate, M. and VijayRaghavan, K. Development of the indirect flight muscles of <i>Drosophila</i>	67	Tissue interactions affecting the migration and differentiation of neural crest cells in the chick embryo	207
Bate, M., Rushton, E. and Currie, D. A. Cells with persistent <i>twist</i> expression are the embryonic precursors of adult muscles in <i>Drosophila</i>	79	Cascio, S. and Zaret, K. S. Hepatocyte differentiation initiates during endodermal-mesenchymal interactions prior to liver formation	217
Currie, D. A. and Bate, M. The development of adult abdominal muscles in <i>Drosophila</i> : myoblasts express <i>twist</i> and are associated with nerves	91	Lim, T. M., Jaques, K. F., Stern, C. D. and Keynes, R. J. An evaluation of myelomeres and segmentation of the chick embryo spinal cord	227
<b>Broadie, K. S. and Bate, M.</b> The development of adult muscles in <i>Drosophila</i> : ablation of identified muscle precursor cells	103	Stern, C. D., Jaques, K. F., Lim, T. M., Fraser, S. E. and Keynes, R. J. Segmental lineage restrictions in the chick	
Howlett, S. K. and Reik, W. Methylation levels of maternal and paternal		embryo spinal cord depend on the adjacent somites	239
genomes during preimplantation development  Schlosshauer, B.  Neurothelin: molecular characteristics and	119	Van Doren, M., Ellis, H. M. and Posakony, J. W. The <i>Drosophila extramacrochaetae</i> protein antagonizes sequence-specific DNA binding by	
developmental regulation in the chick CNS	129	daughterless/achaete-scute protein complexes	245
Mortillo, S. and Wassarman, P. M. Differential binding of gold-labeled zona pellucida glycoproteins mZP2 and mZP3 to mouse sperm membrane compartments	141	Randazzo, F. M., Cribbs, D. L. and Kaufman, T. C. Rescue and regulation of <i>proboscipedia</i> : a homeotic gene of the Antennapedia Complex	257
Rathjen, F. G., Wolff, J. M. and Chiquet-Ehrismann, R. Restrictin: a chick neural extracellular matrix protein involved in cell attachment co-purifies with the cell recognition molecule F11	151	Diederich, R. J., Pattatucci, A. M. and Kaufman, T. C. Developmental and evolutionary implications of labial, Deformed and engrailed expression in the Drosophila head	273
The till tell recognition indicedie 1 11	101	Sicospinia nead	2/0

### Contents

Snape, A. M., Winning, R. S. and Sargent, T. D. Transcription factor AP-2 is tissue-specific in <i>Xenopus</i> and is closely related or identical to Keratin Transcription Factor 1 (KFT-1)	283	Sommer, R. and Tautz, D.  Segmentation gene expression in the housefly  Musca domestica  Volcaveki, V. Obenei, K. Secoki, H.	419
Fleming, T. P. and Hay, M. J. Tissue-specific control of expression of the tight junction polypeptide ZO-1 in the mouse early embryo	295	Yokouchi, Y., Ohsugi, K., Sasaki, H. and Kuroiwa, A. Chicken homeobox gene <i>Msx-1</i> : structure, expression in limb buds and effect of retinoic acid	431
Harris, A., Chalkley, G., Goodman, S. and Coleman, L. Expression of the cystic fibrosis gene in human development	305	Martín-Bermudo, M. D., Martínez, C., Rodríguez, A. and Jiménez, F. Distribution and function of the <i>lethal of scute</i> gene product during early neurogenesis in <i>Drosophila</i>	445
Patek, C. E., Kerr, J. B., Gosden, R. G., Jones, K. W., Hardy, K., Muggleton- Harris, A. L., Handyside, A. H., Whittingham, D. G. and Hooper, M. L. Sex chimaerism, fertility and sex determination in the mouse	311	von Bartheld, C. S., Patterson, S. L., Heuer, J. G., Wheeler, E. F., Bothwell, M. and Rubel, E. W. Expression of nerve growth factor (NGF) receptors in the developing inner ear of chick and rat	455
Muschler, J. L. and Horwitz, A. F. Down-regulation of the chicken $\alpha_5\beta_1$ integrin fibronectin receptor during development	327	Bejsovec, A. and Martinez Arias, A. Roles of wingless in patterning the larval epidermis of <i>Drosophila</i>	471
Sutherland, A. E., Sanderson, R. D., Mayes, M., Seibert, M., Calarco, P. G., Bernfield, M. and Damsky, C. H.  Expression of syndecan, a putative low affinity		Shiurba, R. A., Jing, N., Sakakura, T. and Godsave, S. F. Nuclear translocation of fibroblast growth factor during <i>Xenopus</i> mesoderm induction	487
fibroblast growth factor receptor, in the early mouse embryo  Miller, R. H. and Szigeti, V.	339	Render, J. Fate maps of the first quartet micromeres in the gastropod <i>Ilyanassa obsoleta</i>	495
Clonal analysis of astrocyte diversity in neonatal rat spinal cord cultures	353	Fire, A., Albertson, D., Harrison, S. W. and Moerman, D. G. Production of antisense RNA leads to effective	
Hogan, A., Heyner, S., Charron, M. J., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., Thorens, B. and Schultz, G. A.		and specific inhibition of gene expression in <i>C. elegans</i> muscle	503
Glucose transporter gene expression in early mouse embryos	363	Baird, S. E., Fitch, D. H. A., Kassem, I. A. A. and Emmons, S. W. Pattern formation in the nematode epidermis:	
Boswell, R. E., Prout, M. E. and Steichen, J. C. Mutations in a newly identified <i>Drosophila melanogaster</i> gene, <i>mago nashi</i> , disrupt germ cell		determination of the arrangement of peripheral sense organs in the <i>C. elegans</i> male tail	515
formation and result in the formation of mirror- image symmetrical double abdomen embryos	373	Wolfgang, W. J., Quan, F., Thambi, N. and Forte, M. Restricted spatial and temporal expression of	
Livant, D. L., Hough-Evans, B. R., Moore, J. G., Britten, R. J. and Davidson, E. H.  Differential stability of expression of similarly		G-protein $\alpha$ subunits during <i>Drosophila</i> embryogenesis	527
specified endogenous and exogenous genes in the sea urchin embryo	385	Matsuo, I., Kitamura, M., Okazaki, K. and Yasuda, K. Binding of a factor to an enhancer element	
Hope, I. A. 'Promoter trapping' in Caenorhabditis elegans	399	responsible for the tissue-specific expression of the chicken $\alpha$ A-crystallin gene	539
Johnston, A. R. and Gooday, D. J.  Xenopus temporal retinal neurites collapse on contact with glial cells from caudal tectum in vitro	400	Nasr-Esfahani, M. M. and Johnson, M. H. The origin of reactive oxygen species in mouse	551

Latham, K. E. and Solter, D. Effect of egg composition on the developmental capacity of androgenetic mouse embryos	561	Yoshinaga, K., Nishikawa, S., Ogawa, M., Hayashi, SI., Kunisada, T., Fujimoto, T. and Nishikawa, SI.	
Miller, M., Reddy, B. A., Kloc, M., Li, X. X., Dreyer, C. and Etkin, L. D.  The nuclear-cytoplasmic distribution of the		Role of c- <i>kit</i> in mouse spermatogenesis: identification of spermatogonia as a specific site of c- <i>kit</i> expression and function	689
Xenopus nuclear factor, xnf7, coincides with its state of phosphorylation during early development	569	Sink, H. and Whitington, P. M. Early ablation of target muscles modulates the arborisation pattern of an identified embryonic <i>Drosophila</i> motor axon	701
Pittack, C., Jones, M. and Reh, T. A. Basic fibroblast growth factor induces retinal pigment epithelium to generate neural retina in vitro	577	Palmer, S. J. and Burgoyne, P. S. The Mus musculus domesticus Tdy allele acts later than the Mus musculus musculus Tdy allele:	701
Blumenfeld, M., Maury, M., Chouard, T., Yaniv, M. and Condamine, H.		a basis for XY sex-reversal in C57BL/6-YPOS mice	709
Hepatic Nuclear Factor 1 (HNF1) shows a wider distribution than products of its known target genes in developing mouse	589	<b>Torres, M. and Sánchez, L.</b> The sisterless-b function of the <i>Drosophila</i> gene <i>scute</i> is restricted to the stage when the X:A ratio	
MacKenzie, A., Ferguson, M. W. J. and Sharpe, P. T.		determines the activity of Sex-lethal	715
Hox-7 expression during murine craniofacial development	601	Mendelsohn, C., Ruberte, E., LeMeur, M., Morriss-Kay, G. and Chambon, P.	
Münsterberg, A. and Lovell-Badge, R. Expression of the mouse anti-Müllerian hormone		Developmental analysis of the retinoic acid- inducible RAR- $\beta$ 2 promoter in transgenic animals	723
gene suggests a role in both male and female sexual differentiation	613	Jack, J., Dorsett, D., Delotto, Y. and Liu, S. Expression of the <i>cut</i> locus in the <i>Drosophila</i>	
Bovolenta, P. and Dodd, J. Perturbation of neuronal differentiation and axon		wing margin is required for cell type specification and is regulated by a distant enhancer	735
guidance in the spinal cord of mouse embryos lacking a floor plate: analysis of Danforth's short- tail mutation	625	Holmgren, L., Glaser, A., Pfeifer-Ohlsson, S. and Ohlsson, R.	
Stark, K. L., McMahon, J. A. and McMahon, A. P.		Angiogenesis during human extraembryonic development involves the spatiotemporal control of PDGF ligand and receptor gene expression	749
FGFR-4, a new member of the fibroblast growth factor receptor family, expressed in the definitive endoderm and skeletal muscle lineages of the		Fishell, G. and Hatten, M. E.  Astrotactin provides a receptor system for CNS	
mouse	641	neuronal migration	755
Huszar, D., Sharpe, A., Hashmi, S., Bouchard, B., Houghton, A. and Jaenisch, R. Generation of pigmented stripes in albino mice by retroviral marking of neural crest melanoblasts	653	Coutifaris, C., Kao, LC., Sehdev, H. M., Chin, U., Babalola, G. O., Blaschuk, O. W. and Strauss III, J. F.	
Slack, J. M. W.	055	E-cadherin expression during the differentiation of human trophoblasts	767
The nature of the mesoderm-inducing signal in <i>Xenopus</i> : a transfilter induction study	661	Escalier, D., Gallo, JM., Albert, M., Meduri, G., Bermudez, D., David, G.	
Brook, F. A., Shum, A. S. W., van Straaten, H. W. M. and Copp, A. J. Curvature of the caudal region is responsible for		<ul> <li>and Schrevel, J.</li> <li>Human acrosome biogenesis: immunodetection of proacrosin in primary spermatocytes and of its</li> </ul>	
failure of neural tube closure in the curly tail (ct) mouse embryo	671	partitioning pattern during meiosis	779
Barton, S. C., Ferguson-Smith, A. C., Fundele, R and Surani, M. A.		Choi, T., Aoki, F., Mori, M., Yamashita, M., Nagahama, Y. and Kohmoto, K. Activation of p34 <sup>cdc2</sup> protein kinase activity in	
Influence of paternally imprinted genes on development	679	meiotic and mitotic cell cycles in mouse oocytes and embryos	789

Stern, M. J. and Horvitz, H. R.		Goodbody, K. C., Venverloo, C. J.	
A normally attractive cell interaction is repulsive		and Lloyd, C. W.	
in two C. elegans mesodermal cell migration	707	Laser microsurgery demonstrates that cytoplasmic	
mutants	797	strands anchoring the nucleus across the vacuole	
W. L. C. I. and W. Iblad D. A.		of premitotic plant cells are under tension.  Implications for division plane alignment	931
Wedeen, C. J. and Weisblat, D. A.		implications for division plane augmnent	701
Segmental expression of an <i>engrailed</i> -class gene during early development and neurogenesis in an		Fundele, R., Howlett, S. K., Kothary, R.,	
annelid	805	Norris, M. L., Mills, W. E. and Surari, M. A.	
umena	000	Developmental potential of parthenogenetic cells:	
Rogers, M. B., Hosler, B. A. and Gudas, L. J.		role of genetype-specific modifiers	941
Specific expression of a retinoic acid-regulated,			
zinc-finger gene, Rex-1, in preimplantation		Haberstroh, L., Galindo, J. and Firtel, R. A.	
embryos, trophoblast and spermatocytes	815	Developmental and spatial regulation of a	
		Dictyostelium prespore gene: cis-acting elements	
Wolff, T. and Ready, D. F.		and a cAMP-induced, developmentally regulated DNA-binding activity	947
Cell death in normal and rough eye mutants of		DIVA-officing activity	741
Drosophila	825	Inuzuka, H., Redies, C. and Takeichi, M.	
		Differential expression of R- and N-cadherin in	
Wolf, T. and Ready, D. F.		neural and mesodermal tissues during early	
The beginning of pattern formation in the		chicken development	959
Drosophila compound eye: the morphogenetic	0.41		
furrow and the second mitotic wave	841	Perris, R., Krotoski, D. and Bronner-Fraser, M.	
		Collagens in avian neural crest development:	
Abdallah, B., Hourdry, J., Deschamps, S.,		distribution in vivo and migration-promoting	0.60
Denis, H. and Mazabraud, A. The genes encoding the major 42S storage		ability in vitro	969
The genes encoding the major 42S storage particle proteins are expressed in male and		Vachtakari A Vainia S and Theoloff I	
female germ cells of <i>Xenopus laevis</i>	851	Vaahtokari, A., Vainio, S. and Thesleff, I. Associations between transforming growth factor	
Temate germ cons of heropus meris	001	β1 RNA expression and epithelial–mesenchymal	
Schmid, P., Lorenz, A., Hameister, H.		interactions during tooth morphogenesis	985
and Montenarh, M.			
Expression of p53 during mouse embryogenesis	857	Kawamura, K., Fujiwara, S. and Sugino, Y. M.	
		Budding-specific lectin induced in epithelial cells	
Robinson, S. D., Silberstein, G. B.,		is an extracellular matrix component for stem cell	
Roberts, A. B., Flanders, K. C. and Daniel, C. W.		aggregation in tunicates	995
Regulated expression and growth inhibitory		Himms C III V Minche T Hammer T	
effects of transforming growth factor- $\beta$ isoforms	0.50	Hirano, S., Ui, K., Miyake, T., Uemura, T.	
in mouse mammary gland development	867	and Takeichi, M.  Drosophila PS integrins recognize vertebrate	
		vitronectin and function as a cell-substrate	
Gailey, D. A., Taylor, B. J. and Hall, J. C.			1007
Elements of the <i>fruitless</i> locus regulate		1	
development of the muscle of Lawrence, a male- specific structure in the abdomen of <i>Drosophila</i>		Lyons, G. E., Muhlebach, S., Moser, A.,	
melanogaster adults	879	Masood, R., Paterson, B. M., Buckingham, M. E.	
The state of the s	0,,,	and Perriard, JC.	
Lawson, K. A., Meneses, J. J.		Developmental regulation of creatine kinase gene	
and Pedersen, R. A.		expression by myogenic factors in embryonic	1017
Clonal analysis of epiblast fate during germ layer		mouse and chick skeletal muscle	1017
formation in the mouse embryo	891	Tajima, Y., Onoue, H., Kitamura, Y.	
		and Nishimune, Y.	
Herrmann, B. G.		Biologically active kit ligand growth factor is	
Expression pattern of the Brachyury gene in		produced by mouse Sertoli cells and is defective	
whole-mount TWis/TWis mutant embryos	913	in Sl <sup>d</sup> mutant mice	1031
Dardik, A. and Schultz, R. M.		Gardner, C. A. and Barald, K. F.	
Blastocoel expansion in the preimplantation		The cellular environment controls the expression	
mouse embryo: stimulatory effect of TGF- $\alpha$ and EGF	919	of engrailed-like protein in the cranial	1027
LOI	717	neuroepithelium of quail-chick chimeric embryos	1037

Moase, C. E. and Trasler, D. G. N-CAM alterations in splotch neural tube defect mouse embryos  Nghiêm, HO., Hill, J. and Changeux, JP. Developmental changes in the subcellular	1049	Sanes, J. R., Johnson, Y. R., Kotzbauer, P. T., Mudd, J., Hanley, T., Martinou, JC. and Merlie, J. P. Selective expression of an acetylcholine receptor-lacZ transgene in synaptic nuclei of adult muscle fibres	1181
distribution of the 43K ( $v_1$ ) polypeptides in <i>Torpedo marmorata</i> electrocyte: support for a role in acetylcholine receptor stabilization <b>Lallier</b> , <b>T. and Bronner-Fraser</b> , <b>M.</b>	1059	Krauss, S., Johansen, T., Korzh, V. and Fjose, A. Expression of the zebrafish paired box gene pax[zf-b] during early neurogenesis	1193
Avian neural crest cell attachment to laminin: involvement of divalent cation dependent and independent integrins	1069	Motro, B., van der Kooy, D., Rossant, J., Reith, A. and Bernstein, A. Contiguous patterns of c-kit and steel expression: analysis of mutations at the W and	
Cameron, R. A., Fraser, S. E., Britten, R. J. and Davidson, E. H.  Macromere cell fates during sea urchin		Sl loci	1207
development	1085	Duffy, J. B., Kania, M. A. and Gergen, J. P. Expression and function of the <i>Drosophila</i> gene runt in early stages of neural development	1223
Lazzaro, D., Price, M., de Felice, M. and Di Lauro, R.  The transcription factor TTF-1 is expressed at the onset of thyroid and lung morphogenesis and in restricted regions of the foetal brain	1093	Weliky, M., Minsuk, S., Keller, R. and Oster, G. Notochord morphogenesis in <i>Xenopus laevis</i> :	
Poirier, F., Chan, CT. J., Timmons, P. M.,		simulation of cell behaviour underlying tissue convergence and extension	1231
Robertson, E. J., Evans, M. J. and Rigby, P. W. J. The murine H19 gene is activated during embryonic stem cell differentiation in vitro and		Brown, N. L., Sattler, C. A., Markey, D. R. and Carroll, S. B. hairy gene function in the <i>Drosophila</i> eye: normal expression is dispensable but ectopic	
at the time of implantation in the developing embryo	1105	expression alters cell fates	1245
Copenhaver, P. F. and Taghert, P. H. Origins of the insect enteric nervous system: differentiation of the enteric ganglia from a neurogenic epithelium	1115	Herrera, PL., Huarte, J., Sanvito, F., Meda, P., Orci, L. and Vassalli, JD. Embryogenesis of the murine endocrine pancreas; early expression of pancreatic polypeptide gene	1257
Itasaki, N., Ichijo, H., Hama, C., Matsuno, T. and Nakamura, H. Establishment of rostrocaudal polarity in tectal primordium: <i>engrailed</i> expression and subsequent tectal polarity	1133	Chouinard, S. and Kaufman, T. C. Control of expression of the homeotic <i>labial</i> ( <i>lab</i> ) locus of <i>Drosophila melanogaster</i> : evidence for both positive and negative autogenous regulation	1267
Papalopulu, N., Clarke, J. D. W., Bradley, L., Wilkinson, D., Krumlauf, R. and Holder, N. Retinoic acid causes abnormal development and accompany of the appropriate hindhroin.		Lumsden, A., Sprawson, N. and Graham, A. Segmental origin and migration of neural crest cells in the hindbrain region of the chick embryo	1281
segmental patterning of the anterior hindbrain in <i>Xenopus</i> embryos	1145	Yoshika, A., Hanazono, M., Oda, SI., Wakasugi, N., Sakakura, T. and Kusakabe, M.	
Holder, N. and Hill, J. Retinoic acid modifies development of the midbrain-hindbrain border and affects cranial ganglion formation in zebrafish embryos	1159	Developmental analysis of the eye lens obsolescence ( <i>Elo</i> ) gene in the mouse: cell proliferation and <i>Elo</i> gene in the aggregation chimera	1293
Zhang, CC., Müller, J., Hoch, M., Jäckle, H. and Bienz, M.  Target sequences for <i>hunchback</i> in a control region conferring <i>Ultrabithorax</i> expression boundaries	1171	Schiavone, F. M. and Racusen, R. H. Regeneration of the root pole in surgically transected carrot embryos occurs by position-dependent, proximodistal replacement of missing tissues	1305

### Contents

Liu, CP. and Auerbach, R.  In vitro development of murine T cells from prethymic and preliver embryonic yolk sac hematopoietic stem cells	1315	Osmond, M. K., Butler, A. J., Voon, F. C. T. and Bellairs, R.  The effects of retinoic acid on heart formation in the early chick embryo	1405
Mann, J. R. and Stewart, C. L. Development to term of mouse androgenetic aggregation chimeras  Levi, G., Ginsberg, D., Girault, JM.,	1325	Orr-Urtreger, A., Givol, D., Yayon, A., Yarden, Y. and Lonai, P. Developmental expression of two murine fibroblast growth factor receptors, flg and bek	1419
Sabanay, I., Thiery, J. P. and Geiger, B. EP-cadherin in muscles and epithelia of Xenopus laevis embryos	1335	Walther, C. and Gruss, P. Pax-6, a murine paired box gene, is expressed in the developing CNS	1435
Xiang, M., Lu, SY., Musso, M., Karsenty, G. and Klein, W. H.  A G-string positive <i>cis</i> -regulatory element in the LpS1 promoter binds two distinct nuclear factors distributed non-uniformly in <i>Lytechinus pictus</i> embryos	1345	Godin, I. and Wylie, C. C. TGF $\beta$ 1 inhibits proliferation and has a chemotropic effect on mouse primordial germ cells in culture	1451
Carmena, M., Gonzalez, C., Casal, J. and Ripoll, P. Dosage dependence of maternal contribution to somatic cell division in <i>Drosophila malanogaster</i>	1357	González-Reyes, A. and Morata, G. Organization of the <i>Drosophila</i> head as revealed by the ectopic expression of the Ultrabithorax product	1459
ffrench-Constant, C., Hollingsworth, A., Heasman, J. and Wylie, C. C. Response to fibronectin of mouse primordial germ cells before, during and after migration	1365	Snow, D. M., Watanabe, M., Letourneau, P. C. and Silver, J.  A chondroitin sulfate proteoglycan may influence the direction of retinal ganglion cell outgrowth	1473
Yuen, I. S., Taphouse, C., Halfant, K. A. and Gomer, R. H. Regulation and processing of a secreted protein that mediates sensing of cell density in Dictyostelium	1375	Coelho, C. N. D., Krabbenhoft, K. M., Upholt, W. B., Fallon, J. F. and Kosher, R. A. Altered expression of the chicken homeobox-containing genes GHox-7 and GHox-8 in the limb buds of <i>limbless</i> mutant chick embryos	1487
Frank, D. and Harland, R. M. Transient expression of XMyoD in non-somitic mesoderm of <i>Xenopus</i> gastrulae	1387	Kintner, C. R. and Dodd, J. Hensen's node induces neural tissue in <i>Xenopus</i> ectoderm. Implications for the action of the	
Goriely, A., Dumont, N., Dambly-Chaudière, C. and Ghysen, A.		organizer in neural induction	1495
The determination of sense organs in Drosophila: effect of the neurogenic mutations in the embryo	1395	1991 Index of Authors and Titles 1991 Subject Index	1507 1523

